

Message

From: Arnold, Rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A545BF3329054C1B8F0F65D0F45797DE-ARNOLD, LAR]
Sent: 11/24/2020 10:20:32 PM
To: Robinson, Valois [Robinson.Valois@epa.gov]; Chin, Lucita [Chin.Lucita@epa.gov]
Subject: RE: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.

I've been having problems too.
I'll upload a fresh copy. Same for the 2017 table.

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Tuesday, November 24, 2020 3:00 PM
To: Arnold, Rick <Arnold.Rick@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.

I made the changes you suggested, but couldn't save them to the SharePoint file because of property issues.

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Arnold, Rick <Arnold.Rick@epa.gov>
Sent: Tuesday, November 24, 2020 2:34 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.

If you think it's worthwhile, here are a few edits that could be made to PT's Class V comment table:
Comment 17: Because DW No. 3 is no longer in the permit, remove the sentence that says the Dewey Fault is the nearest breach for DW No. 3.
Comment 63: Change "(see Response #)" to "(see Response #62)"
Comment 14.a: Change "Table 16" to "Table 16 (updated Table 14)"
Otherwise, I think it looks ok.

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Tuesday, November 24, 2020 2:11 PM
To: Chin, Lucita <Chin.Lucita@epa.gov>; Arnold, Rick <Arnold.Rick@epa.gov>
Subject: RE: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.

I have a new version with Douglas's updates. I reduced the file size, so the size is now 7M

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Chin, Lucita <Chin.Lucita@epa.gov>
Sent: Tuesday, November 24, 2020 2:09 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>; Arnold, Rick <Arnold.Rick@epa.gov>
Subject: RE: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.


WOW, that is crazy long. Looks good so far!


Lucita Chin
Senior Assistant Regional Counsel | Office of Regional Counsel | Media Law Counseling Section
Environmental Protection Agency Region 8 | 1595 Wynkoop St. | Mail Code: 8ORC-LC-M | Denver, CO 80202
Office: (303) 312-7832

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Tuesday, November 24, 2020 1:51 PM
To: Chin, Lucita <Chin.Lucita@epa.gov>; Arnold, Rick <Arnold.Rick@epa.gov>
Subject: Robinson, Valois shared "EPA Dewey-Burdock Response to Public Comments Nov 24 2020" with you.

Here's the pdf of the RTC.

96 pages of Powertech comment tables so document is 505 pages. Please check it out. the TOC links still work. The introduction link is out of place, but I couldn't reset it without having to recreate the TOC from the beginning.

 This link only works for the direct recipients of this message.



EPA Dewey-Burdock Response to Public Comments Nov 24 2020

Open



Microsoft respects your privacy. To learn more, please read our [Privacy Statement](#).
Microsoft Corporation, One Microsoft Way, Redmond, WA 98052